



Inventory number: 22716

CNC turning lathe
SCHAUBLIN 125 CCN
GE FANUC Series 20-TA



Technical data

Centre height	125 mm
Distance between centres	500 mm
Swing over cross-slide	115 mm
Swing over bed	270 mm
Spindle hole	28 mm
Cross slide:	
Longitudinal travel (Z-axis)	400 mm
Transversal stroke (X axis)	180 mm
Taper in spindle:	
Camlock	D1-3"
Inner taper type	B32
Spindle speeds:	
stepless	
from	0 rpm
up to	5000 rpm
Spindle power	7.5 / 5.5 kW
Torque max.	58 / 42 Nm
Tailstock:	
Morse taper	3 MT
Spindle stroke	160 mm
Spindle diameter	45 mm
Feeds:	
stepless	
longitudinal from	0 mm/min

up to	5000 mm/min
transversal from	0 mm/min
up to	5000 mm/min
Rapid traverse:	7.5 m/min
Air connect	5 - 6 bar
Voltage 50 Hz 3x	400 Volt
Total power required	15 kVA
Machine's weight about	1415 kg
Overall dimensions machine:	
Length	1700 mm
Width	1300 mm
Height	1700 mm
Various accessories:	
Collet device	W20
Lamp	
Starwheel-operated tailstock	
Coolant system	55 l
Centering microscop	
Foot pedal	
Quick change tool	MULTIFIX
Set of toolholders	











