MULLER MACHINES SA
BRÜGG/BIENNE

Industriestrasse 22
CH-2555 Bruegg

T +41 32 373 34 44
F +41 32 373 48 27

E sales@mullermachines.ch
W www.mullermachines.ch

Inventory number: 22869

Grinding wheel dressing machine
STRAUSAK W-Dress
2016

Technical data

Dressing wheel diameter max.	150 mm
Max. grinding wheel diamter	250 mm
Swivelling range	-30 / +30 °
Clamping diameter	3 - 32 mm
Infeed stroke	40 mm
Spindle speeds:	
stepless	
from	150 rpm
up to	1050 rpm
Dressing wheel:	
speeds:	
stepless	
from	750 rpm
up to	3500 rpm
Spindle power	0.37 kW
Total power required	2 kVA
Voltage 50 Hz 3x	230 Volt
Machine's weight about	330 kg
Overall dimensions machine:	

Length	800 mm
Width	800 mm
Height	1700 mm

Various accessories:

Grinding dust extraction

Foot pedal

Set of grinding wheels

Protective cover

for single discs or disc packs

Excellent ergonomics for quick adjustment
adjustment

precise & sensitive dressing process
compatible with a wide range of discs & holders due to integrated cross table

flexibly customisable mounting interface
(PerfectArbor, HSK, others ...)

Dual drives with adjustable spindle
spindle speeds

integrated suction

integrated micro-lubrication

W-Dress




3509777
Torque 22 Nm
made by MAPAL Germany

omron K3GN
OUT1
OUT2
SV
ZERO
HOLD
CMW
Dressing wheel [rpm]
omron K3GN
OUT1
OUT2
SV
ZERO
HOLD
CMW
Grinding wheel [rpm]
tend
Dress




103668
Corindon Wheel Straight
150x20x20/G120 89A 120 M5
TYROLIT
TN 514544 FA 178157
1 150x20x20
89A120M5AV217_35
35m/s 4450/min
EN12413
Carbide
wiha